

Errata for *High Seas Fleet*

Scenarios

Page 16, Gunfire in the Moonlight: The course for Bristol and Karlsruhe are reversed. Bristol is on course 186° and Karlsruhe is on course 270°.

Page 32, Battle of Coronel: in the Operational Situation, change "Cape Hope" to "Cape Horn."

Page 47, In the right column, German Forces, Second Scouting Group change it to read:

Second Scouting Group, RADM Hebbinghaus: Graudenz (flag) (Graudenz class CL), Rostock (Karlsruhe class CL), Stralsund (Magdeburg class CL), Kolberg (Kolberg class CL)

Page 64, Jutland Order of Battle, Grand Fleet, 9th and 10th destroyer squadrons (combined); Termagant and Turbulent are Talisman class, not L class.

Page 74, Blind Mans's Bluff. At the end of the introduction, add

"There are two situations presented in this scenario. The number 1 Situations go together and the number 2 Situations go together. Situation 1 is closer to the actual situation leading to the battle with the miscommunication and poor target reporting. Situation 2 asks what if there had been better communications and better target identification.

Annexes

Page A-14, Kaiser: Remarks, Misspelled name: "Friedrch der Grosse" should be Friedrich der Große
Two places in the first line and last bullet

Page A-16, Derfflinger: Change the "Bg6" in the 1917 Remark to "Bg6m"

Page A-17, Moltke: Remarks, 4th Bullet, last line. Change: "...the 8.8cm FLAK guns removed,..."
to: "... the 8.8cm TK L/45 guns removed,..."

Page A-22 G 37, Remarks, 1st line. Change: "G 37 - G 42. G 41 and G42 2.7, 960 t displacement..."
To: "G 37 - G 42. G 41 and G42, 960 t displacement..."

Page A-23, G 7: Change the P/S TT arc to "PW/SW"

Page A-25, A 26/A 50, Title Line. Change "A 26/A50" to "A 26/A 50"

Page A-30, Royal Sovereign: Change the 12pdr arcs to PS/SS(1)2

Page A-31, Erin: Change the main battery gun arcs to 2F/P&S/2A

Page A-32, Iron Duke: Change the main battery gun arcs to 2F/P&S/2A

Page A-32, King George V: Change the main battery gun arcs to 2F/P&S/2A

Page A-32, Orion: Change the main battery gun arcs to 2F/P&S/2A

Page A-33, Colossus: Change the main battery gun arcs to F/PS/SS/2A
Remarks: Port and stbd turrets cannot fire within 30° of the centerline, fore and aft.

Page A-33, Neptune: Change the main battery gun arcs to F/PS/SS/2A
Remarks: Port and stbd turrets cannot fire within 30° of the centerline, fore and aft.

Page A-33, St Vincent: Change the main battery gun arcs to F/PW/SW/P&S/A

Page A-37, Queen Mary: Change the main battery gun arcs to 2F/P&S/A

Page A-37, Lion: Change the main battery gun arcs to 2F/P&S/A

Page A-37, Invincible: Change the main battery gun arcs to F/2P&S/A.

Remarks,

First two bullets for Invincible. Change:

- Dec 13 - Aug 14: 4 inch guns removed from A & Y turret tops, resited in forward superstructure, P/S(1)4 4 inch guns added for **20** total. Turret A is fitted with a F.Q.2 9ft rangefinder
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each), for **16** total.

To:

- Dec 13 - Aug 14: 4 inch guns removed from A & Y turret tops, resited in forward superstructure, P/S(1)4 4 inch guns added for **16** total. Turret A is fitted with a F.Q.2 9ft rangefinder
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each), for **12** total.

First two bullets for Inflexible. Change:

- By 1914: Turret A is fitted with a F.Q.2 9ft rangefinder
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each), P/S(1)4 4 inch guns added.

To:

- By 1914: Turret A is fitted with a F.Q.2 9ft rangefinder
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each), P/S(1)4 4 inch guns added for **16 total**.

First three bullets for Indomitable. Change:

- By 1914: Turret A is fitted with a F.Q.2 9ft rangefinder
- 1914: 4 inch guns removed from A & Y turret tops, resited in forward superstructure.
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each).

To:

- By 1914: Turret A is fitted with a F.Q.2 9ft rangefinder
- 1914: 4 inch guns removed from A & Y turret tops, resited in forward superstructure for **16 total**..
- 1915: Four 4 inch guns removed from P & Q turrets (two guns each) for **12 total**.

Page A-39, Duke of Edinburgh, Remarks, 6th line.

Change: Port and starboard submerged torpedo tubes are in two common rooms with 6 torpedoes each.

Total torpedo loadout: 14.

To: Port and starboard submerged torpedo tubes are **in a** common rooms with 6 torpedoes. Total torpedo loadout: **8**.

Page A-41 Cambrian, Change: P/S(2)2 21in subm... to P/S(1)2 21in subm...

Page A-42 Arethusa, Remarks. Change: "Total torpedo loadout: 10"vto "Total torpedo loadout: **4**"

Page A-43, Active, Blonde, Boadicea, Remarks. Change: "6-inch and 4-inch gunshield armor rating is 2." to "4-inch gunshield armor rating is 2."

Page A-47, Lightfoot: Change: "...w/3 Weymouth 21in MkIII**

To: "...w/**2** Weymouth 21in MkIII**

Page A-47, Faulknor, change the label on the first AA Battery line to "Lt Btry".

Add Searchlights: P&S 60cm

Annex A: Add the following class:

Talisman

DD

Displacement: 1098 n

In Class: 4

Size Class: D/Small

In Service: 1914

Propulsion: Oil Turbine

Crew: 102

Signature: Small/Noisy

Armor Rtnng: 0

Weapons:

Gunnery Standard: II

PW/SW/2P&S/A(1)5 4in/40 QF MkIV//F/A FA3

C

P&S(2)2 21in deck TT w/2 RGF 21in MkII* torp

F

Remarks:

Talisman, Termagant, Trident, Turbulent. Built to Turkish order, taken over at the start of the War.

- Jun 16: *Turbulent* sunk at Jutland three weeks after entering service.

Damage & Speed Breakdown:

Dam Pts:	0	19	39	58	69	77
Surf Speed:	32	24	16	8	0	Sinks

Page C-11, German 28cm SK L/50 C/09, Higher Elev
Change: "1917" to "1916"

Page E-1. Add the following Table after Annex E Depth Charges

Annex E1a Surface Ship DC patterns

<u>Country</u>	<u># of Tracks</u>	<u># of Throwers</u>	<u>DC Pattern Sizes</u>
France	1 rail w/10 DC	--	3, 5, 7
GB	2 Racks w/1 DC	--	3
GB	1 Rail w/20 DC	2 DC Proj w/3 DC	3, 5, 7, 9
GB	2 Rails w/8 DC	2 DC Proj w/3 DC	3, 5, 7, 9
GB	2 Rails w/13 DC	2 DC Proj w/3 DC	3, 5, 7, 9
GB	4 Racks w/1 DC	2 DC Proj w/3 DC	3, 5, 7
GB	2 Rails w/5 DC	--	3, 5, 7

Page F-1, French Mle M1909R torpedo. The correct range/speed settings are 1.1 kyds @ 34 kts and 2.2 kyds @ 30 kts.

Page F-1, German C/06D torpedo. There is only one speed setting 6.5 kyds at 27 knots. Delete the second line with 3.3 kyds at 26 kts.